## Problem Set 4 Chem 2211

1. a. Label the following compounds as either aromatic, not aromatic or antiaromatic. Explain your reasoning.



aromatic; fully conjugated pi system with 2 electrons with 4n + 2 = 2, n = 0.

antiaromatic; not fully conjugated pi system in ring and for pi bonds in ring, 4n = 4, so n = 1



aromatic; fully conjugated pi system with 10 electrons with 4n + 2 = 10, n = 2.

this resonance structure explains the lack of aromatciity and participation of only 4 pi electrons



antiaromatic; fully conjugated pi system with 16 electrons with 4n = 16, n = 4.



aromatic; fully conjugated pi system with 10 electrons with 4n + 2, n = 2.



aromatic; fully conjugated pi system with 6 electrons with 4n + 2 = 6, n = 1.

b. Some compounds can be made more aromatic by performing a simple transformation on them. Provide a mechanism and a justification for why the product compound is more aromatic.

2. a. Molecules that contain aromatic groups can have drastic resonance effects. Propose 2 major resonance contributors for the following compounds not including their given parent structures.

indigo [ingredient of denim]

methylene blue [colored dye]

chelocardin [antibiotic]

hibiscone C [natural product]

b. Resonance in aromatic systems also provides opprotunity for reactions at the benzylic position. Provide a mechanism for the following transformations and predict the structure of **A**.

Ö

:Br⊖


EtO H


Me

3. Draw the molecular orbital diagrams for the tropylium ion and cyclooctatetraene and explain why they are aromatic or not. Hint: use a Frost circle to help.

Me

Йe





4. a. The indole is a privileged aromatic bicycle in biologically active compounds and natural products. This is so much so that it has been dubbed "lord of the rings." Using your knowledge of alkenes and arenes provide mechanisms for the following transformations.

b. The anticancer therapeutic Mitomycin C is converted in the body to the indole structure  $\bf A$  and then crosslinks double-standed DNA to arrest the cell division cycle. Provide a mechanism of the DNA crosslinking events.

$$\begin{array}{c} \text{Me} \\ \text{H}_2\text{N} \\ \text{OMe} \\ \text{OMe} \\ \text{OMe} \\ \text{ONE} \\ \text{$$

 $H_2N$ 

: Nu(DNA)

 $H_2N$ 

ÓН

Nu

DNA crosslinked product (mitosis arrested!)

OH

Nu

5. Provide a retrosynthetic analysis including synthons, transforms, and synthetic equivalents for the following target molecule from the given starting material. Then, provide a forward synthesis based off of your retrosynthesis.

Retrosynthesis:

$$NC \longrightarrow A_3$$
 $OEt$ 
 $NC \longrightarrow A_3$ 
 $OEt$ 
 $NC \longrightarrow A_3$ 
 $OEt$ 
 $OET$